

## BEST AVAILABLE COP



Attorney Docket No. P63215US1

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Noriyuki TANIMOTO

Application No. 09/774,641

Art Unit: 1743

Filed: February 1, 2001

Examiner: BEX, Patricia K.

For

Closed Heat-decomposing Appliance, Pretreatment Method of Sample Using It, Analytical

Method and Device Therefor

## TRANSMITTAL

Commissioner for Patents Washington, D.C. 20231

Sir:

issioner for Patents
ngton, D.C. 20231

Transmitted herewith please find Amendment and Petition for Extension of Time

Small Entity status of this application under 37 CFR 1.9 and 1.27 has been established.

| Fee Calculation  Excess Claims                  |    |       |    |    |           |    |         |   |       |
|---|----|-------|----|----|-----------|----|---------|---|-------|
|   |    |       |    |    |           |    |         |   |       |
| Total   | 12 | ⊖20 = | 20 | 20 | ⊗ \$9 =   | \$ | ⊗ \$18  | = | \$    |
| Ind.  | 3  | ⊖ 3 = | 3  | 3  | ⊗ \$42 =  | \$ | ⊗ \$84  | = | . \$  |
| ( ) Multiple Dependent Fee (First Presentation) |    |       |    |    | ⊕ \$140 = | \$ | ⊕ \$280 | = | \$    |
| Excess Claims Fee                               |    |       |    |    |           | \$ |         |   | \$    |
| Extension of Time Fee                           |    |       |    |    |           | \$ |         |   | \$920 |
| Other:  |    |       |    |    |           | \$ |         |   | \$    |
| ,   |    |       | \$ |    |           | \$ |         |   |       |

X A check for \$920.00 is attached.

\_ Charge \$ to Deposit Account No. 06-1358.

If a petition for extension of time is necessary but not enclosed, the Commissioner is petitioned to extend the time for response. The Commissioner is authorized to charge payment of any fees associated with this communication to Deposit Account No. 06-1358.

JACOBSON HOLMAN PLLC 400 Seventh Street, N. W. Washington, D.C. 20004-2201 Date: December 30, 2002

WEP:rdt

Registration No. 31,409

R:\rthomas\2002\DECEMBER\P63215US1-transmittal.wpd